

cited in the European Search  
Report of EP 04 00 8 117.6  
Your Ref.: 0 80818

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
15 November 2001 (15.11.2001)

PCT

(10) International Publication Number  
**WO 01/86538 A1**

(51) International Patent Classification<sup>7</sup>: **G06F 17/60**,  
H04L 9/32

(74) Agent: **BOESTAD, Kajsa**; Ericsson Internet Applications  
AB, Patent Unit Internet Applications, Box 48, S-164 93  
Kista (SE).

(21) International Application Number: PCT/SE01/00975

(22) International Filing Date: 4 May 2001 (04.05.2001)

(25) Filing Language: English

(26) Publication Language: English

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM,  
HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,  
LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,  
MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL,  
TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(30) Priority Data:  
20002388 8 May 2000 (08.05.2000) NO

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): **TELE-  
FONAKTIEBOLAGET LM ERICSSON** (publ)  
[SE/SE]; S-126 25 Stockholm (SE).

Published:


*with international search report*

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **VAN DO, Thanh**  
[—/NO]; Stjernemyrveien 28, N-0673 Oslo (NO). **BRAN-  
DRUD, Knut** [—/NO]; Högdevæien 5C, N-0680 Oslo  
(NO).

*For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.*

(54) Title: **MOBILE COMMERCE RECEIPT SYSTEM**



(57) Abstract: A mobile commerce receipt system and method providing a user of a mobile telecommunications terminal with a reliable electronic proof of reservation, purchase and/or payment made. By e-commerce means, the user places an order with a vendor or merchant and makes electronic payment. The vendor issues an electronic contract, sending the contract to a Trusted Third Party (TTP) receipt server. The TTP validates the contract, generates an electronic, digital receipt which is to sent the vendor. The vendor sends the receipt to the mobile terminal of the user, the mobile terminal storing the receipt for subsequent presentation at the point of delivery of the ordered goods or services.

WO 01/86538 A1

## MOBILE COMMERCE RECEIPT SYSTEM

The invention relates to the field of mobile telecommunications services, particularly a system, and a method for use in said system, for providing to a user of mobile telecommunications a receipt or proof confirming a purchase, payment and/or other e-commerce transaction made by the user.

### FIELD OF THE INVENTION.

Mobile e-commerce can be defined as commerce for mobile users made available via mobile devices such as mobile phones, PDAs (Personal Data Assistant), palmtop, etc. The mobile user has the possibility to do shopping, ticketing, banking, betting, trading via his mobile phones.

### THE PROBLEM AREA.

In web commerce goods, except electronic ones or services, are usually delivered later on. With mobile e-commerce, the user should be able to access the same commerce services with postponed delivery as the web but in addition, he must be able to access commerce services with short time delivery. For example, a user when on the move and thirsty, wants to get the soft drink from the automat right after having paid via his mobile phone. Another mobile user when visiting a city and wanting to see a movie expects to be able to collect the ticket at least before the beginning of the show.

In such situations, the entity performing the actual delivery, that could be a human being or a machine, needs to receive the authorisation for delivery quite rapidly. In addition, as in the case of the cinema ticket, the user needs to receive some sort of electronic receipt that he shows to the delivery entity to get the cinema ticket. Such an electronic receipt must fulfil the requirements:

- It needs to be recognisable by the delivery entity
- It can be used as a proof to show that the holder of the receipt has made the purchase and that the ordered goods and/or services can be delivered to the holder
- It cannot be falsified
- It cannot be duplicated or used twice

Accordingly, there is a need for a receipt system in mobile e-commerce.

## KNOWN SOLUTIONS AND PROBLEMS WITH THESE.

International patent publication number WO99/66436 discloses an electronic verified payment system (VPS) comprising a distributed verified trusted third-party system and method enabling electronic/digital transactions through real-time verification and authentication. The VPS includes hubs storing client data and connecting clients, such as users of mobile phones, palm-tops and digital television, to vendors to mediate secure electronic transactions. International patent publication number WO98/43211 discloses a digital payment transactions system wherein a broker generates and stores a secret number to be the start number for a chain of hash values by successive operations of a hash function. The values are associated with coins in a coin stick provided by the user, enabling secure payments in subsequent electronic transactions involving payments. Other systems and/or methods for electronic payments, of which some utilise a third party or a mediator, are disclosed in EP-A1-0865010, WO99/46720, US5999596, WO99/49404 and EP-A1-0971302. None of these, however, provide the user with a specific and reliable proof of the transaction made.

Other known systems for purchasing cinema tickets by telecommunication means, such as the one offered by Telenor Mobile in Norway, have only a very primitive scheme for receipt. After that the user confirms the acquisition of the tickets by entering through a telephone his PIN (Personal Identification Number) code, the user will receive a code, e.g. a 4 or 6 digit number. To collect his cinema tickets, the user presents the code at the ticket window. The ticket window attendant then compares the code presented by the user with one received from the system. If they match, then the attendant is authorised to hand out the purchased tickets to the user.

An example of an existing mobile e-commerce is depicted in figure 1. The user uses a mobile phone equipped with a browser, e.g. a WAP (Wireless Application Protocol) browser or a SIM (Subscriber Identification Module) Application toolkit browser, etc. allowing the user to browse on the World Wide Web via a gateway. The gateway can be a WAP gateway, an SMS (Short Message Service) gateway or any specific server capable of communicating with the browser on the mobile phone. The user visits a merchant's or vendor's web site. He contemplates the offers and selects the items that he wants. He pays for them through a payment scheme. The payment scheme may be for example based on a prepaid account, a credit or debit card or a bank account. He receives from the merchant a code that he can present when collecting the purchased items.

Such a system is simple but relies totally on the reliability of the merchant's system. It is only satisfactory if the delivery entity gets both the correct code and the correct information about the ordered tickets, e.g. theatre, movie, seats, etc. Otherwise, the user  
5 will not receive the tickets that he has paid for. In case of failure, the user has only a code that is insufficient to prove that he has bought the tickets. Of course he will not be charged for the tickets in such a situation but this is not what he wants. It is quite frustrating not be able to watch the movie that one likes and has paid for.

- 10 As stated above, the current solution with a simple code is not sufficient since the user has to rely totally on the reliability of a vendor or merchant, and her/his system. Although the merchant may be honest and does not have the intention to play tricks on the user, if a fault occurs in his system the user will not get delivered the goods or services that actually has been bought, and usually paid for. Also, a mismatch between  
15 the ordered goods or services and what is actually delivered to the user can occur.

#### BRIEF DISCLOSURE OF THE INVENTION.

Ideally, a contract stating all the details of the deal, i.e. the goods and/or services  
20 ordered, prices and quantity, etc. should be signed digitally by the merchant and then sent to the user mobile phone for local storing in the phone. At the delivery counter, the user can connect his phone via for example a cable, a socket or wireless using Bluetooth or IEEE 802.11 to the delivery system and hand over the signed contract. The delivery entity verifies the signed contract and if valid delivers the goods and/or services to the  
25 user.

To realise such an ideal solution, certain adaptations of the existing technology should be made to meet the demands of the ideal solution. Aspects to consider in this regard are:

- 30 • A detailed digital contract is rather large and the mobile phone may not have sufficient storage capacity for storing multiple contracts, which is necessary when the user buys several items.
- If the mobile phone is broken or stolen the user will loose all his contracts and hence may also loose all his purchase. Of course, the user can always claim to the  
35 merchant but it 's up to the merchant to decide.
- The delivery entity must have sufficient capability to verify rapidly the digital contract and this could be unacceptable from the economical point of view.

- In some situations, the merchant having the deal with the user may not be the same as the delivery entity and a contract showing all the details about the user, address, prices, etc. may be inappropriate since the user's privacy can be a concern.
- 5 The present invention provides an arrangement for providing mobile commerce receipts to e-commerce users with the features of the accompanying claim 1 and dependant claims 2 – 3.

Also, the present invention provides a method for providing mobile commerce receipts  
10 to e-commerce users with the features of the accompanying claim 4 and dependant claims 5 – 7.

#### BRIEF DESCRIPTION OF THE DRAWINGS.

15 Fig. 1 shows a schematic representation of a prior art e-commerce system and the various procedures involved in its use.

Fig. 2 shows the overall architecture of a mobile e-commerce receipt system according to the present invention.

20

Fig. 3 is an illustration of information flow and the associated steps in a method according to the present invention.

#### DETAILED DESCRIPTION OF THE INVENTION

25

In the following, the invention will be explained by way of embodiment examples and with reference to the accompanying drawings.

Referring to fig. 2, the overall architecture of a system according to the invention is first  
30 explained.

In order to avoid the problems described in the previous paragraph, and to at the same time to enable short time goods and/or services delivery that is usually required in mobile e-commerce this invention proposes a system as shown in fig. 2. The system  
35 comprises of the following entities:

- Mobile phone with a browser
- Gateway

- Delivery entity terminal
- Trusted Third Party receipt server
- Merchant (Vendor) Server

5 A Trusted Third Party (TTP) receipt server is a new entity introduced between the user and the merchant. It acts like a neutral intermediary that gives equal protection to both parties, i.e. the user and merchant. In addition, it will enable the short time delivery feature that is required in mobile e-commerce. Since the mobile phone does not have enough capacity for storing the contract, the TTP is storing the contract on behalf of the  
10 mobile phone and the mobile user. Based on the contract, the TTP will issue and sign a simpler and smaller receipt that could be stored in the mobile phone. This digital receipt is then returned to the merchant's server that sends it to the mobile phone. The digital receipt is stored in the mobile phone and will be used at the delivery of goods and/or services.

15

Now, with reference to fig. 3, the workings of the system is explained.

As shown in fig.3, the system works as follows:

1. The mobile user browses on his mobile phone and visits a merchant's web site. He selects the items that he wants and makes an order.
- 20 2. The payment procedure is carried out. Note that different payment schemes may be used according to the merchant's system and the user's subscription, e.g. prepaid account, credit card, debit card, bank account, etc.
3. The Merchant's server generates and digitally signs the contract using the merchant private key. The contract may contain the following attributes:  
25
  - customer name
  - customer address
  - customer e-mail
  - MISDN number of the mobile phone
  - credit card number and expiration date(in case of payment by credit card)
  - 30
    - merchant name and ID number
    - merchant address
    - merchant e-mail
    - date and time of contract
    - contract id
  - 35
    - delivery place (if necessary specify the delivery entities)
    - earliest delivery date and time (if necessary)
    - latest delivery date and time (if necessary)

- list of items with quantity for each item, unit price, part no
- total amount paid

The contract is then sent to the TTP.

4. The TTP validates the contract to make sure that it is valid and does originate from the corresponding merchant. The validation is done using public key cryptographic functions. If it is the case, the TTP will store it. Based on the digital contract the TTP will then generate and sign a receipt using its private key. This digital receipt may contain the following:

- contract id
- TTP id
- TTP address

The TTP will then send it to the merchant's server.

5. The merchant's server sends the digital receipt to the user's mobile phone that stored it.
6. At the delivery counter, the user connects his mobile phone to the delivery entity's terminal. This can be done via a wire, a direct contact, infrared or a wireless link such as Bluetooth, IEEE 802.11, etc. The mobile phone hands over the digital receipt to the delivery entity's terminal.
7. At this stage there are two alternatives depending on the capability of the delivery entity's terminal:
- a. It validates the digital receipt. If valid, it will fetch the corresponding contract either from the merchant's server or from a repository in order to find the list of purchased items. Go over to step 9.
  - b. It is not capable to perform the validation of the digital receipt by itself. It will then get in touch with the TTP by using the address specified in the digital receipt and send over the digital receipt for validation.
8. The TTP validates the digital receipt. If valid, the TTP will fetch the corresponding contract by using the contract id specified in the receipt. It will extract the list of purchased items and send it together with an OK back to the delivery entity terminal.
9. The purchased items are delivered to the user. The delivery entity asks the user to acknowledge that he has received the goods and/or services. This can be done via verbal communication between the person in charge of the delivery or via the delivery entity terminal that sends an acknowledge request to the mobile phone via the link between the two devices.
10. The user acknowledges via his mobile phone that the goods and/or services have been delivered to him. The mobile phone sends an acknowledgement to the TTP.

The acknowledgement can simply be the digital receipt digitally signed by the mobile phone using the user's private key.

11. The TTP validates the acknowledgement to make sure that it does originate from the right user and is not modified. If valid, the TTP will save it with the corresponding contract. The TTP will then send an OK to the Delivery Entity terminal.  
The trade is hence concluded.

The Trusted Third Party receipt server assumes the following responsibilities:

- Ensure that the interests of both parties are equally protected
  - Store the contract for the user such that can be used in case of dispute.
  - Issue a simpler receipt that can be used in the delivery phase
  - Certify that a trade is concluded successfully with a delivery of goods and/or services
- 15 The Trusted Third Party receipt server has the following functions and capabilities:
- receive and validate contracts signed by merchants
  - store and retrieve contracts
  - issue and digitally sign receipt based on the received contracts
  - validate digital receipts
  - validate acknowledgements
  - store and retrieve acknowledgements
  - have access to necessary cryptographic function in order to perform signing, verification and validation of receipts and acknowledgement.
- 25 The Delivery Entity's terminal is located at every delivery counter. It assume the following responsibilities:
- accept the digital contract and send it to the TTP for validation
  - receive delivery information from the TTP
  - ask for delivery acknowledgement
- 30 The Delivery Entity's terminal has the following capabilities:
- communication with the mobile phones
  - communications with the TTP and the merchant's server
- 35 Certain features of the communications can identified as:
- between TTP and Merchant's server
  - between TTP and Delivery Entity's Terminal

- between Delivery Entity's Terminal and Merchant's server
- can go through secure channels on the Internet, i.e. encrypted or through dedicated networks.

- 5 The communication between the mobile phone and the TTP goes through the mobile network, the gateway and the Internet.

The communication between the mobile phone and the Delivery Entity's terminal can be via a cable, a socket, or wireless via infrared, Bluetooth, IEEE 802.11.

10

### ADVANTAGES

This invention has much merit:

- It enables short time delivery that is required in mobile e-commerce, while not  
15 requiring much capability either on the mobile phone or the delivery entity's terminal
- It provides adequate protection to the user. In case of failure in the merchant's system, the contract digitally signed by the merchant, which is stored by the TTP can be retrieved and used as proof. In the case where the mobile phone is broken or  
20 stolen the user does not loose the goods and/or services that he has paid for. The privacy of the user is achieved in the sense that information such as identity, personalia, credit card number, bank account, etc. is not revealed at the delivery entity.
- It provides adequate protection to the merchant. It ensures that purchased items  
25 cannot be delivered twice since delivery acknowledgements are stored by the TTP.
- It is realisable without requiring much effort and resource.

P a t e n t   c l a i m s

1.

A method of providing a mobile telecommunication terminal (MTT) of a customer entity (CE) with a reliable simpler electronic proof of a reservation, purchase and/or payment being made by the CE by means of an e-commerce arrangement, including the steps of:

- making, by the CE, a goods or service specifying electronic reservation, purchase and/or payment with a merchant entity (ME),
- 10 - generating, in the ME, a transaction record (TR) on basis of the reservation, purchase and/or payment, and, on basis of the TR, an electronic contract (EC) including an identity (ID) of the ME,

c h a r a c t e r i s e d   i n :

- transferring a copy of the EC from the ME to a trusted third party entity (TTPE),
- 15 - generating, in the TTPE, a verified EC (VEC) on basis of a verification of the ID of the ME included in the EC, and a simpler electronic receipt (SER) on basis of the VEC,
- transferring a copy of the SER from the TTPE to the ME, and
- transferring a copy of the SER from the ME to the MTT.

20

2.

A method of using a simpler electronic receipt (SER) generated by a trusted third party (TTPE) and provided to a mobile telecommunication terminal (MTT) of a customer entity (CE) who has made an electronic reservation, purchase and/or payment by means of an e-commerce arrangement, for claiming a reserved, purchased and/or paid goods or service, including the steps of:

- presenting the SER to a delivery entity (DE) by transferring a copy of the SER from the MTT to the DE,

c h a r a c t e r i s e d   i n :

- 30 - transferring a copy of the SER from the DE to the TTPE,
- generating, in the TTPE, a validated SER (VSER) on basis of a transaction record (TR) of a corresponding reservation, purchase and/or payment, and a validated and verified specification of a goods or service on basis of the VSER and the TR, and
- transferring the validated and verified specification of a goods or service from the
- 35 TTPE to the DE.

3.

A method of providing a simpler electronic receipt to a mobile telecommunication terminal (MTT) of a customer entity (CE) at making a goods and/or service reservation, purchase and/or payment by means of an e-commerce arrangement, and of using the  
 5 SER for claiming the reserved, purchased and/or paid goods and/or service, the method including the steps of:

a1) at the time of making the goods and/or service reservation, purchase and/or payment:

- making, by the CE, a goods or service specifying electronic reservation, purchase  
 10 and/or payment with a merchant entity (ME),
- generating, in the ME, a transaction record (TR) on basis of the reservation, purchase and/or payment, and, on basis of the TR, an electronic receipt contract (EC) including an identity (ID) of the ME;

b1) at the time of claiming the goods and/or service reserved, purchased and/or paid:

- 15 - presenting the SER to a delivery entity (DE) by transferring a copy of the SER from the MTT to the DE,

c h a r a c t e r i s e d i n :

a2) at the time of making the goods and/or service reservation, purchase and/or payment:

- 20 - transferring a copy of the EC from the ME to a trusted third party entity (TTPE),
- generating, in the TTPE, a verified EC (VEC) on basis of a verification of the ID of the ME included in the EC, and a simpler electronic receipt (SER) on basis of the VEC,
- transferring a copy of the SER from the TTPE to the ME,
- 25 - transferring a copy of the SER from the ME to the MTT;

b2) at the time of claiming the goods and/or service reserved, purchased and/or paid:

- transferring a copy of the SER from the DE to the TTPE,
- generating, in the TTPE, a validated SER (VSER) on basis of a transaction record (TR) of a corresponding reservation, purchase and/or payment, and a validated and  
 30 verified specification of a goods or service on basis of the VSER and the TR, and
- transferring the validated and verified specification of a goods or service from the TTPE to the DE.

4.

- 35 The method of any one of the previous claims, c h a r a c t e r i s e d i n that the TR includes: a CE identifier, a MTT identifier, a ME identifier, an identifier of a corresponding EC, a TR identifier, and optionally a goods and/or services specification.

5.

The method of claim 4, c h a r a c t e r i s e d i n that the TR further includes at least one of the following: customer address, customer e-mail, MISDN  
5 number of the mobile phone, credit card number and expiration date, merchant name and ID number, merchant address, merchant e-mail, date and time of contract, contract id, delivery place, earliest delivery date and time, latest delivery date and time, list of items with quantity for each item, unit price, part no and/or total amount paid.

10 6.

The method of any one of claims 3 - 5, c h a r a c t e r i s e d i n the further steps of:

- converting, in the TTPE, at least a portion of the SER by encryption before  
executing the step of transferring a copy of the SER from the ME to the MTT; and
- 15 - converting, in the TTPE, an encrypted portion of the SER by decryption after  
executing the step of transferring a copy of the SER from the DE to the TTPE.

7.

The method of any one of claims 2 - 6, c h a r a c t e r i s e d i n the further  
20 steps for providing to the DE a confirmation of a completed delivery of a claimed goods or service:

- transferring a delivery acknowledge request (DAQ) from the DE to the MTT,
- transferring a delivery acknowledge confirm (DAF) from the MTT to TTPE,
- validating, in the MTTE, the DAF, and
- 25 - transferring an indicator of a valid DAF to the DE.

8.

The method of any one of the previous claims, c h a r a c t e r i s e d i n that the SER comprises a EC identifier and a TTPE identifier.

30

9.

The method of any one of claims 2 - 8, c h a r a c t e r i s e d i n that transferring the SER to the DE is accomplished by means of wire, a direct contact, infrared or a wireless link.

35

10.

The method of claim 9, characterised in that the wireless link is a Bluetooth or IEEE 802.11 enabled link.

1/3




Fig. 1

2/3




Fig. 2

3/3




Fig. 3

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 01/00975

## A. CLASSIFICATION OF SUBJECT MATTER

IPC7: G06F 17/60, H04L 9/32

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: G06F, H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-INTERNAL, WPI DATA, PAJ

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0969430 A1 (SUN MICROSYSTEMS, INC.), 5 January 2000 (05.01.00), column 3, line 25 - column 4, line 15; column 5, line 55 - column 6, line 8; column 12, line 56 - column 13, line 27, claims 1-8,14,17-18, abstract --	1-10
X	WO 9966436 A1 (PROTX LIMITED), 23 December 1999 (23.12.99), page 4, line 9 - page 5, line 15; page 6, line 15 - page 7, line 7; page 9, line 3 - line 17, page 19, line 16 - line 18, figures 3-4, claims 1,4,8, abstract --	1-10

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

24 July 2001

Date of mailing of the international search report

25-07-2001

Name and mailing address of the ISA/

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Pär Heimdal /OGU

Telephone No. +46 8 782 25 00

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 01/00975

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WO 0075834 A2 (RECEIPTCITY.COM, INC.), 14 December 2000 (14.12.00), page 7, line 12 - page 8, line 5; page 19, line 1 - line 19; page 22, line 17 - line 30, figure 1, claims 1,3,6,20,21,29, abstract  --	1-10
A	US 5903721 A (SIXTUS, T), 11 May 1999 (11.05.99), column 3, line 33 - column 4, line 17; column 6, line 54 - column 7, line 24, figures 1-3, claims 4, 9, abstract  --	1-10
A	US 5915022 A (ROBINSON, R.A. ET AL.), 22 June 1999 (22.06.99), column 2, line 55 - line 63; column 6, line 48 - line 54, claims 7-12, abstract  --	1-10
A	"RECEIPTCITY JOINS DIGITAL RECEIPT ALLIANCE". CROSSVUE [on line], 1 May 2000 [retrieved on 23.07.2001]. Retrieved from the internet: <URL:http://www.crossvue.com/newsmay.1.00.html>  -- -----	1-10

Form PCT/ISA/210 (continuation of second sheet) (July 1998)

## INTERNATIONAL SEARCH REPORT

02/07/01

International application No.

PCT/SE 01/00975

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
EP	0969430	A1	05/01/00	CN	1248028 A	22/03/00
				JP	2000036000 A	02/02/00
				WO	0027871 A	18/05/00
-----						
WO	9966436	A1	23/12/99	AU	4517899 A	05/01/00
				EP	1097425 A	09/05/01
				NO	20006449 A	17/01/01
-----						
WO	0075834	A2	14/12/00	WO	0075835 A	14/12/00
				WO	0075855 A	14/12/00
				WO	0075879 A	14/12/00
				WO	0075890 A	14/12/00
				WO	0079493 A	28/12/00
				WO	0079496 A	28/12/00
-----						
US	5903721	A	11/05/99	AU	6549498 A	29/09/98
				DE	1008022 T	25/01/01
				EP	1008022 A	14/06/00
				ES	2150892 T	16/12/00
				NO	994428 A	09/11/99
				WO	9840809 A	17/09/98
-----						
US	5915022	A	22/06/99	NONE		